NASA Atmospheric Products for Weather and Climate Monitoring Temperature, Water Vapor, Clouds, Winds,

NASA Remote Sensing Training Norman, Oklahoma June 19-20, 2012

ARSET
Applied Remote SEnsing Training



A project of NASA Applied Sciences

Objective


Present Overview of NASA satellites and models for atmospheric products

Present case studies of weather and climate studies

NASA Applied Sciences Program
Water Resources site: http://wmp.gsfc.nasa.gov/

NASA Water Products

- Rain
- Snow/Ice
- Water Vapor
- Clouds
- Soil Moisture
- Ground Water
- Snow/Ice
- Rain, Clouds, Water Vapor
- Soil Moisture
- Evaporation/Transpiration
- Run off



Courtesy Erich Roeckner, Max Planck Institute for Meteorology

Water Cycle Components

Products in red - derived from satellite measurements

Products in blue - derived from atmospheric/land surface models in which satellite measurements are assimilated

NASA Atmospheric Products

Precipitation: Kg/m²/hour or mm/hour Water Vapor: Column Integrated water vapor Kg/m² - Vertical profile of specific humidity Kg/Kg Fraction Vertical profile of relative humidity Clouds: - Cloud Fractional Area Fraction - Cloud Top Pressure and Temperature hPa & Degree Temperature: Ocean and Land Surface Temperature K or °C K or °C Vertical profile Winds: - East-west and north-south wind components m/s - Surface wind and vertical profile of winds m/s

NASA Atmospheric Products

Source: Satellite measurements

Aqua/AIRS and MODIS: Temperature, Water Vapor, Clouds

Aqua/AMSR-E: Vertically Integrated Water Vapor

Terra/MODIS: Water Vapor, Clouds

Aqua and Terra are both polar orbiting satellites

Source: Satellite and Surface Data Assimilated Models

Modern Era Retrospective-Analysis for Research and Applications (MERRA): Temperature, Winds, Water Vapor, Clouds

NASA Satellites and instruments for Atmospheric Products

Satellites

Instruments

Products

Terra/ Aqua

 MODerate Resolution Imaging Spectroradiometer (MODIS) Fractional Cloud Cover
Cloud Top Pressure/Temperature
Cloud Ice/Water Path, Cloud
Optical Depth, Cloud Effective Radius
Column Integrated Water Vapor

Aqua


 Atmospheric Infrared Sounder (AIRS) Fractional Cloud Cover
Cloud Top Pressure/Temperature
Column Integrated Water Vapor,
Vertical Profile of Specific
Humidity and Relative Humidity

Aqua

 Advanced Microwave Scanning Radiometer for EOS (AMSR-E) Column Integrated
Oceanic Water Vapor, Sea
Surface Temperature


Terra and Aqua MODerate Resolution Imaging Spectroradiometer (MODIS)

- 36 spectral bands ranging from 0.41 to 14.385 microns.
- Products: Clouds, Column Integrated Water Vapor (for cloudy and cloud-free conditions)
- Measurement footprint varies from 250 m to 1000 m
- Global, twice daily measurements [Terra 2000/03 to present, Aqua 2002/07 to present]





MODIS Image

Terra and Aqua MODerate Resolution Imaging Spectroradiometer (MODIS) for Weather and Climate MDD08_D3.051 Cloud F/Gatilg_O(Dy and Night) [unitless]




Cloud Fraction and Cloud Top Pressure for July 4, 2011






Area-Averaged Time Series (MOD08_M3.051) (Region: 180W-180E, 90S-90N)




Terra and Aqua MODerate Resolution Imaging Spectroradiometer (MODIS)

 Gridded data at 1°x1° resolution, daily and monthly MODIS products are

available from Giovanni







MODIS day/night average cloud fraction April 14, 2012

MODIS Global Browser




http://ladsweb.nascom.nasa.gov/browse_images/global_browser.html




Aqua Atmospheric Infrared Sounder (AIRS)


- Cutting-edge infrared technology with 2378 spectral bands in 0.5 to 15 micron
- Products: 3-dimensional maps of air and surface temperature, water vapor, and cloud properties.
- Measurement footprints vary from about 2.5 km to 14 Km
- Global, twice daily measurements [2002/07 to present]



Aqua Atmospheric Infrared Sounder (AIRS) for Weather and Climate



Hurricane Fred Observed by AIRS: 9 September, 2009





Variations in the three dimensional distribution of atmospheric water vapor, where higher altitudes appear brighter. Made with AIRS data retrieved during summer and fall, 2005.


Image credit: Dr. Vincent J. Realmuto, Earth Surface Science Group, JPL

Aqua Atmospheric Infrared Sounder (AIRS)

 Gridded data at 1°x1° resolution, daily and monthly AIRS products are available from Giovanni








Aqua Advanced Microwave Scanning Radiometer for EOS (AMSR-E)


- Twelve-channel, sixfrequency, passivemicrowave 6.925, 10.65, 18.7, 23.8, 36.5, and 89.0 GHz
- Provides ocean surface temperatures, total column atmospheric moisture over ocean




Since observations of precipitation and water vapor over the oceans far from land are very sparse, AMSR-E measurements are expected to be incorporated into the numerical weather forecast models and contribute to improving predictions of typhoon tracks and weather forecasts. In addition, AMSR-E, in combination with the AMSR on board Middri-II, provides more frequent observation.

MERRA: Modern Era Retrospective-analysis for Research and Application


- Satellite and surface measurements assimilated model
- Products: 3-dimensional maps of air temperature, humidity, winds.
 Also provides 'modeled' clouds and precipitation
- Spatial resolution: Spatial Resolution: 2/3°x1/2°,1.25°x1.25° (approximately 66x50 km², 125x125 km²)
- Global, hourly, daily, monthly data [1979/01 to present]







MERRA: Modern Era Retrospective-analysis for Research and Application

Hourly, Monthly products are available from Giovanni









Obtain MERRA, MODIS, AIRS Products


Can be downloaded from http://mirador.gsfc.nasa.gov by a keyword search. Also, can search by time and location/region




Case Study: Inter-annual Variability

El Niño Condition in Dec 2009 AIRS Sea Surface Temperature (K)







La Niña Condition in Nov 2010 AIRS Sea Surface Temperature (K)




MERRA Upper Level East-West Winds Dec 2009





MERRA Upper Level East-West Winds Nov 2010




Case Study: Inter-annual Variability












Case Study: Severe Weather over eastern Oklahoma (13-14 April 2011)



The Tushka, Oklahoma tornado. 34.3203° N, 96.1669° W








Case Study: Severe Weather over eastern Oklahoma (13-14 April 2011)



The Tushka, Oklahoma tornado. 34.3203° N, 96.1669° W

Area-Averaged Time Series (MAI3CPASM.5.2.0) (Region: 97W-95W, 34N-35N Level: 850.0hPa)



Increase in low level winds around Tushka

Summary

NASA Atmospheric Products can be used to conduct case studies associated with weather and climate conditions and develop scenarios, for developing potential mitigation strategies at the regional level

Thank You!